

T₃MOTION



T3 i-Series
Electric Stand-up Vehicle

T3 i-SERIES MODELS

Law Enforcement



Government



Security



Applications:

Community Policing
Airports

Campus Safety
Parking Control

EOD
Community Relations

Special Events
Fire/EMS

Retail
Airports

Hospitals
Lifestyle Centers

Step onto a T3 and step into the future

T3 i-SERIES FEATURES



Adjustable LED Headlight



LCD Display



Integrated LED Lighting



0-Degree Turning Radius



Intuitive Controls




Lockable Storage



Swappable Power Modules



Hydraulic Disc Brakes

T3 Series: Clean Energy  Zero Gas Emissions

T3 i-SERIES ADVANTAGES

Command Presence



"The T3 really has a police presence that we found appealing. It projects authority."

Hoover (AL) Police Department

Agility



"It gets you where you're going, and you can turn it 180-degrees, while a golf cart takes a 3-point turn."

Los Angeles Valley College Security Department

Community Policing



"It makes me a lot more personable, that's what I really like about it."

Los Angeles County Sheriff's Department

T3 Series: Clean Energy  Zero Gas Emissions

Step onto T3...and step into the future

- Low cost of operation
- Energy-efficient electric motor gets the equivalent of over 200 Km per Liter*
- Three-wheeled operator platform—stable while stationary on up to full-speed
- Twin hydraulic rear disk brakes (separate from front drive wheel)
- Vehicle projects image of authority/omnipresence and can increase officer safety
- Power modules can easily be hot-swapped in seconds
- On average, 2 sets of Power Modules enable 24-hour unlimited range operation*
- User-selectable speed settings from 12 - 25 Km/h
- Fully-compliant Law Enforcement LED emergency lighting package
- Vertically + Horizontally-adjustable LED high-intensity headlight
- Payload capacity up to 175 Kg (rider + equipment)
- Personnel can respond at speeds up to 25 Km/h*

T3 i-SERIES

Electric Stand-Up Vehicle Features & Specifications



Dimensions

Length	136 cm
Width	88 cm
Height	135 cm
Platform Height	22 cm

Weight

Vehicle Weight	140 Kg
Wt. w/o Batteries	126 Kg
Battery Weight	12 Kg
Cargo Capacity	175 Kg

Performance

Speed Range	User Selectable: 12 Km/h - 25 Km/h
Battery Options	B Type: Range 40 Km

Light Package



Emergency Package

Siren	Wail Tone + Yelp Horn
Headlights	LED Headlight/Spotlight 45-Degree Tilt
Security	Key On/Off Switch

Motor	Electric DC Motor
Wheels	All-Aluminum rims (Front and Rear)
Tires	Front 15" X 6" Rear 17" 60 X 120
Turning Radius	Zero-degree turning radius

*Custom Lighting upon request



Black Pannier Bag



Red Pannier Bag



Power Module



110/220-V Charger



On-board Video



ALPR



External Frame/Cases



Multiple Trailer Options



Hitch Mount Carrier



Side Mirrors



Snow Tire



Color Options

All specifications are subject to change without notice



Tel: (714) 619-3600
Fax: (714) 619-3616
Email: sales@t3motion.com

2990 Airway Avenue
Costa Mesa, CA 92626 USA
www.t3motion.com

*Li-Poly Batteries

*Based on 1 kilowatt usage per day at an average cost of 10 cents per kilowatt

*All performance specifications based upon average rider weight of 200 pounds